Bonzai 2.2.14 Release Notes

Aurea is happy to announce and provide release version 2.2.13 that fixes a few issues in Bonzai Intranet.

Release Version	• 2.2.14	
Release Date	• May 15, 2021	
Deliverables	 Bonzai Intranet Deployment Package Release Notes 	

Changes in this release

Fixed issues

Here you can find the list of resolved issues specific to Bonzai Intranet 2.2.13.

Ticket	Description	
BOINT-18180	The remote HTTPS server should be enforcing HTTP Strict Transport Security (HSTS)	
BOINT-19251	The event start and end time should be displayed correctly in the search results webpart	

General notes about Bonzai Intranet behavior

Bonzai Intranet employs multiple third-party components and in some cases may be affected by how these components work. Here are some particular issues.

 You may see new items in the Term Store even without a cache key update in Brick if you clear your browser's cache or use a browser where the stored cache key is different from the Brick cache key.

System requirements and supported platforms

The required software is noted below, with an emphasis on the following terms:

- **Certified** this release was tested specifically against this configuration.
- Supported this release was not tested against this specific configuration, though it remains supported as differences between it and the certified software are minimal or not applicable to Bonzai.

	Certified	Supported
Operating systems	 Windows Server 2016 with .NET Framework 4.5 	Windows Server 2012 R2 with Framework 4.5
SharePoint	SharePoint 2016SharePoint Online	SharePoint 2013 with SP 1 or
Databases	MS SQL 2016 Standard	Bonzai supports the versions Microsoft SQL that SharePoin supports (SharePoint 2013 SharePoint
Web browsers	Google Chrome (latest version)Microsoft Edge (latest version)	



How to Install or Upgrade to This Release

The Bonzai team deployed 2.2.14 to our **CDN (Content Delivery Network)** on May 15, 2021, and republish the themes for 2.2 customers.

Customers running 2.2.0 and above will automatically be updated to 2.2.14, with no further action required on their tenants/farms.

Please contact Professional Services for more information on how we can help you upgrade to this release.